

E

e



Inspire | Engage | Lead



Avtek TouchScreen Electric Stand V3

Technical specifications

The mobile electric stand is an ideal solution for the user who wants to maintain maximum freedom when using an interactive monitor.

Thanks to its design, it even works with 86" monitors.

The safe and easy way to adjust is effortless, so meeting or class presenters don't have to worry about the problematic height adjustment of the device - they will do it efficiently and precisely with the remote control, control panel or even from the interactive monitor!

Electrically adjustable height

Robust construction

Additional shelf for accessories





HIGHLIGHTS

Thereforme	
Supported devices	Max. 86-inch interactive flat panels
Maximum load	80 kg
Handle adjustment range	0-500 mm
Method of control	Using the control panel, wired remote control or from the interactive monitor (only available on Avtek monitors)
Wheel lock	Yes
Accessories	Power cable, remote control, USB adapter, power adapter, handle, screw bag
Net weight	28 kg
Weight per package	32 kg
Minimum product dimensions	1036 × 737 × 1123 mm
Maximum product dimensions	1036 × 737 × 1623 mm
Package dimensions	1123 × 1064 × 128 mm
Required power supply	100~240V
Operating temperature	0°C - 40°C
Operating humidity	10% - 90%
Storage temperature	-20°C - 60°C
Storage humidity	10% - 90%
Maximum permissible height	Below 2,000 meters above sea level.
Warranty	3 years

This specification is for information purposes only and is not a commercial offer under the Civil Code. Parameters and technical specifications are subject to change. The actual appearance of the equipment may differ from that shown in the photos.







Avtek TouchScreen Electric Stand V3

Dimensions (mm)











